



**DEPARTMENT OF THE ARMY**  
**OFFICE OF THE ASSISTANT SECRETARY**  
**MANPOWER AND RESERVE AFFAIRS**  
111 ARMY PENTAGON  
WASHINGTON, DC 20310-0111



September 19, 2006

SAMR-FM-MAA


MEMORANDUM FOR

Office of the Chief Information Officer G6, 107 Army Pentagon, Washington, DC 20310-0107  
Deputy Chief of Staff, G-3 (DAMO-FMP), 400 Army Pentagon, Washington, DC 20310-0400  
Assistant Chief of Staff for Installation Management, ATTN: DAIM-ZA, 600 Army Pentagon,  
Washington, DC 20310-0600

SUBJECT: Validation of FY08 Requirements Determination Model 06-02: CONUS IMA  
Directorates of Information Management (DOIMs)

1. On 12 Sep 06, the Special Assistant (Manpower and Resources), ASA (M&RA), approved implementation and use of the DOIM model for requirements determination at selected Installation Management Agency (IMA) installations (Encl). Total requirements include both government and contractor requirements. The growth from baseline requirements includes the expanded Information Assurance mission.
2. The model may also be used by leadership to conduct sensitivity analysis, risk assessment and prioritization drills. We continue to work with the HQDA CIO/G-6 for implementation of this model at all other installations. This Army-wide application will occur in conjunction with the implementation of the Single DOIM Action Plan, with expected completion 1 Oct 07.
3. Due to A-76 competitions currently taking place throughout the Army, this tool should be considered sensitive and not released outside of government use.
4. Questions regarding the DOIM model may be addressed to my points of contact, Mr. Herman Orgeron or Ms. Marsha Popp, who can be reached at (703) 805-1176/5986 or by email at herman.orgeron@belvoir.army.mil or marsha.popp@belvoir.army.mil.

Encl

  
Jay D. Aronowitz  
Director  
U.S. Army Manpower Analysis Agency

For Official Use Only		
Region	Installations	Model Total
SW	Bliss	173
SW	Hood	320
SW	Huachuca	119
SW	Irwin	94
SW	Polk	128
SW	Presidio	66
SW	Sam Houston	181
SW	Sill	118
SW	White Sands	85
SW	Yuma	59
NE	Natick	42
NE	<i>Myer/McNair</i>	43
NE	<i>Meade</i>	83
NE	<i>Belvoir</i>	147
NE	Monmouth	136
NE	Drum	143
NE	Dix	71
NE	Aberdeen PG	135
NE	Picatinny Arsenal	73
NE	West Point	111
NE	Carlisle Brks	47
NE	Eustis	91
NE	Lee	97
NE	Monroe	63
SE	Campbell	194
SE	McPherson	108
SE	Stewart	172
SE	Redstone Arsenal	162
SE	Buchanan	41
SE	Bragg	250
SE	Gordon	114
SE	Jackson	95
SE	Knox	114
SE	Rucker	85
SE	Benning	132
NW	Riley	123
NW	Rock Island	103
NW	Carson	151
NW	McCoy	83
NW	USAG Detroit	85
NW	Lewis	186
NW	Dugway PG	40
NW	Leavenworth	92
NW	Leonard Wood	149
TOTAL:		5105
For Official Use Only		

Enclosure

\* A separate equation will be established for installations with under 500 accounts (A.P. Hill, Devens, and Hamilton).